



MAC50

6 🕙 6



STOD

Coronavin.

DOCUMENTED SIGNIFICANT REDUCTION OF AIRBORNE VIRUS

JIMCO.DK

MAC500s REDUCES VIRUS In the Air Significantly



Authorities shut down factories to avoid that people gather in big crowds and people are afraid of traveling with airplanes and cruise liners. The Coronavirus is paralyzing many businesses and especially the travel industry.

JIMCO A/S is specialized in some of the worlds most unique and environmentally friendly air purification technologies and has a broad portfolio to combat the spreading of the coronavirus or any virus for that matter.

The JIMCO technology is based on UV-C and ozone, which is a natural way to reduce and eliminate unwanted viruses and bacteria.

The MAC500s air purifier works partly by burning harmful particles such as viruses with the help of UV-C rays, and partly by letting out a small amount of ozone, which can destroy bacteria and viruses.


The amount of ozone is equal to the amount occurring in nature, and the method can be compared to the process taking place in a swimming pool when chlorine is added to reduce bacteria in the water. But the MAC500s is environmentally friendly and does not use chemicals.

Several studies have shown that SARS-CoV2 (the virus that causes the disease COVID-19) can infect us through the air and Governments are starting to wake up and realize that the battleground has changed.



The environmentally friendly MAC500s reduces viruses in the air quickly and significantly.

- Effective reduction on SARS-CoV2 in an aerosol state (microdroplets in the air)
- Reduction of 90 % in 1 hour and 99 % after 2 hours
 (MS2 which is 7-10 times more resistant than coronavirus*)
- \checkmark No use of any chemicals or filters
- ✓ Safe to use 24/7 in occupied spaces
- Easy to use and only needs a power socket to operate
- ✓ Significantly improves indoor air quality



WE ARE COMBATTING The pandemic

REDUCTION OF VIRUS IN THE AIR







MAC500s

reduces the amount of bacteria, viral disease, mould and fungi within the room and does not produce any NOx.




reduces indoor air pollution and eliminates the sources of headaches, respiratory problems, fatigue, COPD and asthma.

MAC500s

is designed for use 24/7 and to effectively decrease the spreading of any disease in rooms and areas where people are present.

MAC500s REDUCES AIRBORNE VIRUS EFFECTIVELY



Airborne transmission of SARS-CoV-2 can occur under special circumstances.

CDC

- ** The balance of attention must be shifted to protecting against airborne transmission. **
- ⁶⁶ There is overwhelming evidence that inhalation of severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) represents a major transmission route for coronavirus disease 2019 (COVID-19).

American Association for the Advancement of Science


THE DIFFERENCE BETWEEN DROPLET AND AIRBORNE TRANSMISSION

Droplet transmission

Airborne transmission

Coughs and sneezes can spread droplets of saliva and mucus

Tiny particles, possibly produced by talking, are suspended in the air for longer and travel further.



⁶⁶ Viruses in aerosols (smaller than 100 μm) can remain suspended in air for many seconds to hours, like smoke, and be inhaled. They are highly concentrated near an infected person, so they can infect people most easily in close proximity.

But aerosols containing infectious virus can also travel more than 2 m and accumulate in poorly ventilated indoor air, leading to superspreading events. ⁹⁹





HOW LONG THE CORONAVIRUS CAN LIVE IN THE AIR AND ON SURFACES













Cardboard: Up to 24 hrs.

Plastic: Up to 72 hrs.



Stainless steel: Up to 72 hrs.





DOCUMENTED EFFECT

A study from a technological institute in Denmark states that the Danish-developed air purifier MAC500s effectively reduces viruses from the air. In rooms where the air purifier is in use, the virus is reduced by 89 % already during the first hour.


The study documents that the air purifier MAC500s reduces viruses in the air by 89 % in one hour. After two hours, the virus is reduced by 99 percent, and after three hours, t he reduction is 99.9 %.

The test was performed on a bacterium infected with the MS2 virus. Coronavirus is 7-10 times more susceptible to UV light than MS2 bacteriophages. This means that the virus on which the test was performed on is more difficult or as difficult to degrade as SARS-CoV2 (*the virus that causes COVID-19*). *

The effect has been compared to pathogens that are 3x and 5x more susceptible than the virus MS2. The reduction will then very quickly reach 100% as shown in table 3 and figure 4. on page 9 in the full report.

				DANISH TECHNOLOGIC
Jimco A/S				Teknologiparkan Kongsvang Allé 29 8000 Airhus C Denmark phone +45 72 20 20
Mjølbyvej 7 DK-5900 Rudkøbing				info@dti.dk www.dti.dk
		2	October 2020	
Declaration of test and	assessment		<i>t</i>	
		tests of the efficien	cy tor	
Danish Technological Instit inactivation virus of the Jin	nco MAC500 air pur	mer.	room The	
e constanting	its the unit installed	in a 20 m ⁻ secred	s (ATCC	
efficiency of the all putting	while coli (ATCC 15	597) as a virus sam	- difforence	
15597-B1) on host Estimate	aerosolized MS2 wi	as determined us to	measured during	
15597-B1) on host Escher rate of inactivation of the between the natural inact the use of the Jimco MAC	ivation rate and the	macuvacion rate	or were	
		ese inactivación raci	es nere	
the use of the jimou rate	of the air in the cha	mber over a 2 mou	r period. The	
the use of the jimou rate	of the air in the cha	mber over a 2 mou	r period. The	
determined by sampling significant and consistent product test clearly show	of the air in the cha t difference between a reduction of the	mber over a 2 nos n the Natural decay e concentration of a	r period. The test and the sirborne and	
the use of the similar we determined by sampling significant and consistent product test clearly show active MS2 caused by th	of the air in the cha t difference between is a reduction of the e air purifier.	mber over a 2 mos n the Natural decay e concentration of a	r period. The r test and the sirborne and	
the use of the jinto we determined by sampling significant and consistent product test clearly show active MS2 caused by th	of the air in the cha difference between a reduction of the e air purifier. inactivation efficient are calculated and	mber over a 2 mos n the Natural decay e concentration of a	the reductions in ble below:	
the use of the Jinto variable determined by sampling i significant and consistent product test clearly show active MS2 caused by the Based on the measured or and in Inn-reductions	of the air in the cha difference between a reduction of the e air purifier. inactivation efficien are calculated and 1 hour	mber over a 2 nos n the Natural decay e concentration of a ncy of the MAC500, are found in the tal 2 hours	r period. The r test and the sirborne and	
the use of the similar we determined by sampling significant and consistent product test clearly show active MS2 caused by th	of the air in the cha t difference between as a reduction of the e air purifier. inactivation efficien are calculated and 1 hour 89% ± 8%	mber over a 2 mos n the Natural decay e concentration of a toy of the MAC500, are found in the tal 2 hours 99% ± 2.3%	the reductions in ble below:	
the use of the initial type of the initial typ	of the air in the cha difference between is a reduction of the e air purifier. inactivation efficien are calculated and 1 hour 89% ± 8% 0.97 ± 0.24	mber over a 2 ver a decay in the Natural decay is concentration of a icy of the MAC500, are found in the tai 2 hours 99% ± 2.3% 1.93 ± 0.47	r period. The test and the sirborne and the reductions in ble below: 3 hours $99.9 \pm 0.5\%$ 2.9 ± 0.71	
the use of the initial determined by sampling significant and consistent product test clearly above active MS2 caused by th Based on the measured 9_6 and in log-reductions Reduction, 9_6 Log-reduction (base 10)	of the air in the cha difference between is a reduction of the eair purifier. inactivation efficien are calculated and 1 hour 89% ± 8% 0.97 ± 0.24	mber over a 2 wer a 2 wer a concentration of a the Natural decay concentration of a toy of the MAC500, are found in the ta 2 hours 99% ± 2.3% 1 .93 ± 0.47 IV-susceptibility for	r period. The test and the birborne and the reductions in ble below: 3 hours 99.9 ± 0.5% 2.9 ± 0.71 bacteriophage	
the use of the links by sampling in determined by sampling in significant and consistent product test clearly show active MS2 caused by the Based on the measured % and in log-reductions Product attribution Reduction, % Log-reduction (base 10). According to Kowalski	of the air in the cha difference between s a reduction of the e air purifier. inactivation efficien are calculated and <u>1 hour</u> 89% ± 8% 0.97 ± 0.24 e and Walkert the U v succentibility for	mber over a 2 wer a 2 wer a concentration of a concentration of a e concentration of a concentration of concentration of concentrat	r period. The test and the irrborne and the reductions in ble below: 3 hours 99.9 ± 0.5% 2.9 ± 0.71 bacteriophage us, vaccina virtus, to bacteriophage	
the use of the Junce of the Jun	of the air in the chain difference between so a reduction of the e air purifier. inactivation efficient are calculated and <u>3 hour</u> 89% ± 8% 0.97 ± 0.24 and Walkert the U UV-susceptibility for efficacy of the tester and the similar	In the Natural decay a concentration of a concentration of a icy of the MAC500, are found in the tai 2 hours 99% ± 2.3% 1.93 ± 0.47 IV-susceptibility for the enveloped vin MAC500 UV-C dev to the efficacy aga	r period. The test and the irborne and the reductions in jobe below: 3 hours 9.9.9 ± 0.5% 2.9 ± 0.7% bacteriophage us, vaccina virtus, vaccina virt	
the use of the Junce of the Jun	of the air in the chain difference between so a reduction of the e air purifier. inactivation efficient are calculated and <u>3 hour</u> 89% ± 8% 0.97 ± 0.24 and Walkert the U UV-susceptibility for efficacy of the tester and the similar	In the Natural decay a concentration of a concentration of a icy of the MAC500, are found in the tai 2 hours 99% ± 2.3% 1.93 ± 0.47 IV-susceptibility for the enveloped vin MAC500 UV-C dev to the efficacy aga	r period. The test and the irborne and the reductions in jobe below: 3 hours 9.9.9 ± 0.5% 2.9 ± 0.7% bacteriophage us, vaccina virtus, vaccina virt	
the use of the Junction determined by Jacobian significant and cavastern product test celevity show active MS2 caused by the Based on the measured Sa and in log-reductions Product strubution Reduction, % Log-reduction (base 10) According to Kowalski MS2 is lower than the bacteriophage MS2 wi vaccina virus. Encod	of the air in the chia difference between is a reduction of the e air purifier. inactivation efficient are calculated and 1 hour 8 9% ± 8% 0.97 ± 0.24 • and Walkert the U UV-susceptibility for difficacy of the tested of the statistical apaginaria vaccinia's visuas (e.g., MERS	Imber over a 2 mos the Natural decay concentration of a story of the MAC500, are found in the ts' 2 hours 99% ± 2.3% 1.93 ± 0.47 IV-susceptibility for the enveloped wire to the efficacy age trus allows for a da co/, SARS-CoV-1	r period. The test and the irrborne and the reductions in jube below: 3 hours 99.9 ± 0.5% 2.9 ± 0.71 • bacteriophage us, vaccinia virus. i/ce to degrade the inst enveloped inn for efficacy and SARS-COV-2)	
the use of the Jacopiano eletermined by Jacopiano radiust and anomiatem product activity for the second radiust and the second second the measured search in the se	of the air in the chait difference between so a reduction of the e air purifier. Inactivation efficient are calculated and 89% ± 8% 0.97 ± 0.24 and Walkert the U UV-susceptibility for fricacy of the testee iii be at least similar against vaccinia v viruses (e.g. MERS	Imber over a 2 most the Natural decay concentration of a socy of the MAC500, are found in the tai 2 hours 99% ± 2.3% 1.93 ± 0.47 IV-susceptibility for tr the enveloped vin MAC500 UV-C dev to the efficacy age trus allows for a cla -CoV, SARS-CoV-1	r period. The test and the inhorne and the reductions in bibe below: 3 hours 99,9 ± 0.5% 2,9 ± 0.71 bacteriophage us, vaccinia virus, vice to degrade the innis enveloped innis enveloped innis enveloped	
the use of the sampling determined are some significant and consistent models and consistent models and consistent models and consistent sectors and an operation reduct and sectors and reduction (% Log-reduction (base 10) Mo2 is lower than the landstreight to Konstala ¹ Mo2 is lower than the la	of the air in the chait difference between so a reduction of the e air purifier. Inactivation efficient are calculated and 89% ± 8% 0.97 ± 0.24 and Walkert the U UV-susceptibility for fricacy of the testee iii be at least similar against vaccinia v viruses (e.g. MERS	Imber over a 2 most the Natural decay concentration of a socy of the MAC500, are found in the tai 2 hours 99% ± 2.3% 1.93 ± 0.47 IV-susceptibility for tr the enveloped vin MAC500 UV-C dev to the efficacy age trus allows for a cla -CoV, SARS-CoV-1	r period. The test and the inhorne and the reductions in bibe below: 3 hours 99,9 ± 0.5% 2,9 ± 0.71 bacteriophage us, vaccinia virus, vice to degrade the innis enveloped innis enveloped innis enveloped	
the use of the Junce of Junce Junce of Ju	of the air in the chail of the air in the chail of afference betweens is a reduction of the air purifier. Inactivation efficient are calculated and Bg% ± 8% 0.97 ± 0.24 and Walkert the U. Uri-susceptibility for dricacy of the tester and walkert the U. dricacy of the tester similar vaccinia be at least similar be at least simila	In the Natural decay concentration of a concentration of a concentration of a concentration gene 2, 30% 1.93 ± 0.47 N-susceptibility for the enveloped vin MACS00 UV-C de the enveloped vin MACS00 UV-C de to the efficacy aga cov), SARS-Cav-1 Handbook. Springer 20 tECH00LD07 / VOL 4	r period. The test and the hirborne and the reductions in babe below: $99.9 \pm 0.5\%$ 2.9 ± 0.71 bacteriophage us, vaccina virtus, dice to degrade the inst enveloped infor efficacy and SARS-CoV-2) 109 11, No. 15, 2007	
the use of the Jacopiano eletermined by Jacopiano radiust and anomiatem product activity for the second radiust and the second second the measured search in the se	of the air in the chail of the air in the chail of afference betweens is a reduction of the air purifier. Inactivation efficient are calculated and Bg% ± 8% 0.97 ± 0.24 and Walkert the U. Uri-susceptibility for dricacy of the tester and walkert the U. dricacy of the tester similar vaccinia be at least similar be at least simila	In the Natural decay concentration of a concentration of a concentration of a concentration gene 2, 30% 1.93 ± 0.47 N-susceptibility for the enveloped vin MACS00 UV-C de the enveloped vin MACS00 UV-C de to the efficacy aga cov), SARS-Cav-1 Handbook. Springer 20 tECH00LD07 / VOL 4	r period. The test and the hirborne and the reductions in babe below: $99.9 \pm 0.5\%$ 2.9 ± 0.71 bacteriophage us, vaccina virtus, dice to degrade the inst enveloped infor efficacy and SARS-CoV-2) 109 11, No. 15, 2007	
the use of all systems and consistent determined as advanced and product test clearly alway wattive MS2 caused by the magnetic MS2 caused by the Based on the measured by and in log-reductions Reduction, % Income the measured reduct attribution (laser 10) According to Kowniak Hocz La ko	of the gir in the chain of the gir in the chain of difference betweens as a reduction of the same set of the s	In the Natural decay concentration of a concentration of a concentration of a concentration gene 2, 30% 1.93 ± 0.47 N-susceptibility for the enveloped vin MACS00 UV-C de the enveloped vin MACS00 UV-C de to the efficacy aga cov), SARS-Cav-1 Handbook. Springer 20 tECH00LD07 / VOL 4	r period. The test and the hirborne and the reductions in babe below: $99.9 \pm 0.5\%$ 2.9 ± 0.71 bacteriophage us, vaccina virtus, dice to degrade the inst enveloped infor efficacy and SARS-CoV-2) 109 11, No. 15, 2007	







DANISH TECHNOLOGICAL INSTITUTE

Teknologiparken Kongsvang Allé 29 8000 Aarhus C Denmark Phone +45 72 20 20 00 info@dti.dk www.dti.dk

2 October 2020

Declaration of test and assessment

Danish Technological Institute has performed tests of the efficiency for inactivation virus of the Jimco MAC500 air purifier.

The test was conducted with the unit installed in a 20 m³ sealed room. The efficiency of the air purifier was tested using MS2 bacteriophages (ATCC 15597-B1) on host *Escherichia coli* (ATCC 15597) as a virus surrogate. The rate of inactivation of the aerosolized MS2 was determined as the difference between the natural inactivation rate and the inactivation rate measured during the use of the Jimco MAC500 air purifier. These inactivation rates were determined by sampling of the air in the chamber over a 2-hour period. The significant and consistent difference between the Natural decay test and the Product test clearly shows a reduction of the concentration of airborne and active MS2 caused by the air purifier.

Based on the measured inactivation efficiency of the MAC500, the reductions in % and in log-reductions are calculated and are found in the table below:

Product attribution	1 hour	2 hours	3 hours
Reduction, %	89% ± 8%	99% ± 2.3%	99.9 ± 0.5%
Log-reduction (base 10)	0.97 ± 0.24	1.93 ± 0.47	2.9 ± 0.71

According to Kowalski* and Walker⁺ the UV-susceptibility for bacteriophage MS2 is lower than the UV-susceptibility for the enveloped virus, vaccinia virus. Hence, the indicated efficacy of the tested MAC500 UV-C device to degrade the bacteriophage MS2 will be at least similar to the efficacy against enveloped vaccinia virus. Efficacy against vaccinia virus allows for a claim for efficacy against all enveloped viruses (e.g. MERS-CoV, SARS-CoV-1 and SARS-CoV-2) according to DS/EN 14885:2018.

* Kowalski W. Ultraviolet Germicidal irradiation Handbook. Springer 2009

⁺ Walker and Ko, ENVIRONMENTAL SCIENCE & TECHNOLOGY / VOL. 41, NO. 15, 2007

The full testing procedures are presented in report no. 933322.

Best regards,

Casper Laur Byg, PhD specialist Bioengineering and Environmental Technology Danish Technological Institute

Jimco A/S Mjølbyvej 7 DK-5900 Rudkøbing

THE COVID-19 BATTLEGROUND HAS CHANGED THE WAR OF COVID-19 HAS MOVED FROM SURFACES TO AIR

No. 6 0



CLEAN ENVIRONMENT Using the forces of nature





JIMCO A/S recommends placing a MAC500s in all rooms and areas where people are present and especially where the risk of disease spreading is high.

TECHNICAL DATA UV lamp: 1x8 w Voltage: 230 V

Power consump: 25 W Operating lamp: 8000 hours Room area: 60 m3 Length: 310 mm Height: 90 mm Width: 90 mm The MAC500s must be placed as high as possible in the room and can cover an area of 60 m3.

For information please contact. Michael Kløcker Business Unit Manager E: mk@jimco.dk

T: +45 2149 3348

The MAC500s has been documented to reduce airborne virus. But the MAC500s should not be the only measure in the fight against the pandemic. It is important to still follow all guidelines from authorities.